

Cobra-8 Installation Guide v1.0



HIGH
WATER

Preface

This manual, as well as any software described in it, is provided under licence and may only be used or copied in accordance with the terms of that licence. The information in this manual is subject to change, without notice, and should not be construed as a commitment by HighWater Designs Limited. HighWater Designs Limited assumes no responsibility or liability for any errors or inaccuracies that appear in this manual.

All rights reserved. No part of this manual may be reproduced or transmitted in any form, or by any means, without the prior written permission of HighWater Designs Limited.

Version 1.0 September 2007 (for software version 1.0.1)

Version 1.0 (Draft 1) July 2007 (for software version 1.0.1)

Torrent is a registered trademark of HighWater Designs Limited.

Cobra and the Cobra Console are trademarks of HighWater Designs Limited.

All other brand or product names are trademarks or registered trademarks of their respective companies or organisations.

HighWater contact information

HighWater Designs Limited
1-6 St. George's Business Park
Alstone Lane
Cheltenham
Gloucestershire
UK
GL51 8HF

Telephone: +44 (0) 1242 542100

Fax: +44 (0) 1242 251600

Email: sales@highwater.co.uk

Web: www.highwater.co.uk

HighWater support department

Telephone: +44 (0) 1242 542102

Email: support@highwater.co.uk

Web: www.highwater.co.uk

Contents

1. Introduction · 7

- 1.1 Before you begin · 7
- 1.2 Introduction to this manual · 7

2. Safety information · 9

- 2.1 Safety information · 9
- 2.2 Working safely · 10
- 2.3 Safety labels · 10
- 2.4 Laser precautions · 11

3. Unpacking and moving the Cobra-8 system · 13

- 3.1 Tool requirements · 13
- 3.2 Crate contents at delivery · 13
- 3.3 Examining the shock indicators · 14
- 3.4 Unpacking the Cobra-8 system · 15
- 3.5 Moving the Cobra-8 platesetter into position · 18
- 3.6 Removing the transit bolt · 19
- 3.7 Cobra-8's end panels and cover · 20

4. Connecting up the Cobra-8 system · 21

- 4.1 Connecting the workstation to the Cobra-8 platesetter · 21
- 4.2 Connecting the Cobra-8 platesetter to a power supply · 21

5. Starting up, enabling and shutting down the Cobra-8 system · 23

- 5.1 Starting up the Cobra-8 system and logging on · 23
- 5.2 Enabling the Cobra software · 24
- 5.3 Shutting down the Cobra-8 system · 25

6. Initial checks on the Cobra-8 platesetter · 27

- 6.1 Checking the Cobra-8 system components · 27
- 6.2 Cleaning the Cobra-8 drum · 28

7. Loading a plate onto the drum · 29

- 7.1 Selecting the registration bar pins · 29
- 7.2 Setting up the vacuum channels · 30
- 7.3 Loading a plate into the Cobra-8 drum · 30
- 7.4 Unloading the plate · 32

8. Creating the plate definitions · 35

- 8.1 Launching the Cobra Layout Tool · 35
- 8.2 Setting the preferences · 36
- 8.3 Creating a plate definition · 37

9. The plate tests · 39

- 9.1 Requirements for the tests · 40
- 9.2 Guidelines on taking measurements · 41
- 9.3 Recording the test results · 41

9.4 The plate tests · 42

Plate 1: Calibration Strips · 43

Test 1a: Laser Power · 45

Plate 2: SM102 Scaling · 48

Test 2a: Carriage Reference Setup · 52

Test 2b: Fast Axis Scaling · 54

Test 2c: Drum Reference · 55

Test 2d: Plate Registration Skew · 57

Test 2e: Focus and Spot Shape · 58

Test 2f: Beam Bow · 60

Test 2g: Orthogonality · 62

Plate 3: Scaling with Slur · 63

Test 3a: Plate Registration Repeatability · 65

Plate 4: Full50 · 67

Test 4a: Flat Tint · 70

10. Setting up the Cobra software · 71

10.1 Job flow through the Cobra-8 system · 71

10.2 Setting up the software · 73

11. Handover to the customer · 75

11.1 Checking the system before handover to the customer · 75

Appendix A: Plate specifications · 77

A.1 Plate types · 77

A.2 Plate sizes · 77

A.3 Plate exposure times · 78

Appendix B: Brightroom layout and environment · 79

B.1 Required operating conditions · 79

B.2 Access space around the Cobra-8 platesetter · 80

B.3 Typical brightroom layout · 81

Appendix C: Plate test results · 83

1. Introduction

This chapter includes the following sections:

- 1.1, Before you begin (p7).
- 1.2, Introduction to this manual (p7).

1.1 Before you begin

Please read the following information before you begin:

- **This manual refers to version 1.0.1 and later of the Cobra software.**
- **You MUST carefully read the safety information contained in chapter 2 BEFORE beginning any work on the equipment, and always adhere to the recommended procedures when working on the equipment.**
- **Please carefully read all warnings in this manual and follow any given instructions.**
- Ensure that the room the Cobra-8 system will be situated in has the necessary space for access to the Cobra-8 platesetter. We recommend a 100cm access space on both the left and right-hand sides (60cm minimum) and 150cm in front of the Cobra-8 platesetter. Please refer to Appendix B for more information.
- Read the plate and working environment information in Appendix A and Appendix B. These appendices tell you what plates can be used with the Cobra-8 system and the conditions that the Cobra-8 system should be operated in.
- This manual assumes that an approved, fully functional plate processor is available for development of the plates.

1.2 Introduction to this manual

This manual provides full installation instructions for the Cobra-8 CtP system and covers:

- **Safety notices and requirements** — this information is very important and you must ensure that you fully understand and abide by the safety requirements before starting the installation.
- **Unpacking and moving the Cobra-8 platesetter.**
- **Connecting the workstation to the Cobra-8 platesetter.**
- **Connecting the Cobra-8 platesetter to a power supply.**
- **Attaching the dongle and enabling the Cobra-8 software.**
- **Loading and unloading plates in the Cobra-8 drum.**
- **Producing test plates and carrying out calibration and quality checks.**
- **Plate information.**
- **Brightroom layout and specification.**
- **Safety label information.**
- **Test results.**

This guide does not cover setting up and using the Torrent RIP and other Cobra-8 software applications. Once you have installed the Cobra-8 platesetter, you should refer to chapter 10 of this manual and also to the **Cobra-8 User's Guide** for more details on setting up the software for the user.



Warning: You **must** read this manual before installation commences and, in particular, read the safety information in the next chapter.

2. Safety information



Warning: All engineers **must** read this section and abide by the safety requirements when they start work on the Cobra-8 platesetter.

You must also read the supplied Cobra-8 Safety Information manual.

This section includes the following information:

- 2.1, Safety information (p9).
- 2.2, Working safely (p10).
- 2.3, Safety labels (p10).
- 2.4, Laser precautions (p11).

2.1 Safety information



Cobra-8, under normal operation, is a **CLASS 1** embedded laser product and is inherently safe for operators because the laser will not operate if the cover is open. This chapter details all the necessary precautions you should take when working on the Cobra-8 platesetter.

All installation/service engineers must be trained and approved by HighWater Designs Limited, and must follow all safety procedures defined in this document. HighWater Designs Limited will accept no responsibility for any damage to equipment or personal injury caused by non-approved engineers, or by failure to follow these safety procedures.



Safety warning

Access to the internal mechanisms is gained by removing Cobra-8's panels. All panels must be replaced and the mains lead reconnected before leaving the equipment.

With the panels off, beware of the 'pinch' risk from moving mechanical parts. Take care when working around the drum area with the machine in this state.

2.2 Working safely

Protecting yourself from injury

To protect yourself from injury:

- Follow all safety warnings and instructions given in this manual and in the Cobra Test Tool software.
- The edges of a plate are sharp so take great care when handling plates and, in particular, keep the edges of the plate away from your face.

Protecting the Cobra-8 drum and carriage from damage

To protect the Cobra-8 drum and carriage from damage:

- Do not put any object other than a plate into the drum.

Safe plate handling

Plates must be handled with care. Engineers need to be aware of the following guidelines:

- Plate edges are sharp, particularly the corners. Remove plates from packaging carefully and keep plate edges and corners away from your face.
- Handle plates at their edges.
- Contact with human skin can damage the plate's emulsion surface.
- Keep the interleave paper on the emulsion side of the plate during handling, but remove it before placing the plate into the drum.
- Always put the plate into the drum emulsion side up.

2.3 Safety labels

There are a number of labels on the Cobra-8 platesetter (refer to the **Cobra-8 Safety Information** manual for details of where these are located). Please ensure that you follow all the necessary safety precautions.

2.4 Laser precautions

Cobra-8 has a single laser source for the plate expose beam: a blue-violet laser diode, rated at 60mW that emits a visible light beam at a nominal wavelength of 405nm. This laser falls into **CLASS 3B**, which means that direct viewing of the laser beam is always hazardous as is viewing direct reflections. Diffuse reflections are normally safe.

Cobra-8 is designed as a **CLASS 1** embedded laser product and is, therefore, inherently safe for the operator who cannot be exposed to the laser beam under normal operating conditions. The **CLASS 3B** rating applies as soon as the panels are removed and the machine is powered on.



Warning: CLASS 3B lasers are dangerous and, if the beam is viewed incorrectly, may cause irreversible retinal damage or blindness. Therefore, you must, where appropriate:

1. Ensure that you, and those working with you, have adequate eye protection against the laser.
 2. Ensure that no unauthorized personnel have access to the work area when the laser is exposed.
 3. Ensure that no laser light escapes from the work area.
 4. Ensure that the room is clear of unauthorized personnel while you are working on the Cobra-8 platesetter.
 5. Ensure that appropriate warning signs are displayed on all doors leading to the work area.
 6. Leave the Cobra-8 platesetter in a safe state when it is left unattended.
 7. Replace and secure all panels before leaving the Cobra-8 work area.
-

3. Unpacking and moving the Cobra-8 system

This chapter shows you how to unpack the Cobra-8 system from its crate and move it into position in the brightroom. It contains the following sections:

- 3.1, Tool requirements (p13).
- 3.2, Crate contents at delivery (p13).
- 3.3, Examining the shock indicators (p14).
- 3.4, Unpacking the Cobra-8 system (p15).
- 3.5, Moving the Cobra-8 platesetter into position (p18).
- 3.6, Removing the transit bolt (p19).
- 3.7, Cobra-8's end panels and cover (p20).

3.1 Tool requirements

The following tools are recommended for unpacking, installing and testing the Cobra-8 system:

- Pallet truck or forklift truck.
- Set of metric Allen keys (for example, 1.5, 2.0, 2.5, 3, 4, 5, 6, 7, 8, 9 and 10mm).
- Set of metric spanners (for example, 4, 5, 5.5, 6, 7, 8, 9, 10, 12, 13 and 14mm).
- Metric socket set.
- Screwdrivers (preferably electric): flat head and cross point (pozidrive).
- Plate densitometer for density calibration checks.
- Steel metric ruler (1 metre long).
- Magnifying glasses (x10 and x100).

3.2 Crate contents at delivery

Crating of the Cobra-8 system will depend on where the Cobra-8 is being delivered to:

- **UK delivery:** the Cobra-8 is on an open pallet with the PC in a separate box.
- **Rest of the world:** the Cobra-8 is in a full crate with the PC packed behind the machine and the side panels packed in front of the machine.

The main crate dimensions are approximately 2020 x 1115 x 1875mm (w x d x h).

The total weight of Cobra-8 in its crate is approximately 450kg.

Cobra-8, uncrated and fully assembled weighs 400kg.




Warning: Take extreme care during lifting and manoeuvring operations, and make sure that the appropriate lifting equipment and an adequate number of people are used to move and install the Cobra-8 system.

3.3 Examining the shock indicators

Before shipping, a number of shock indicators were attached to the Cobra-8 crate and to the wrapped Cobra-8 platesetter. These indicators tell you if the system has been subjected to excessively rough handling during transit between the factory and the customer site.

There is a tilt indicator on both the inside and outside of the crate. On the outside of the crate there may also be a 'Shockwatch' indicator:



Tiltwatch indicator



Shockwatch indicator

These indicators turn red when activated, showing that the crate has been subjected to excessive tipping and/or an impact of some sort. However, this does not necessarily mean that the Cobra-8 platesetter has been damaged.

There are one or more 25g Shockwatch indicators on the Cobra-8 platesetter itself. When these indicators are activated they turn red, signifying that the Cobra-8 platesetter has been subjected to an impact (in which case some damage may have occurred).


If any of the tilt or Shockwatch indicators have been activated (that is, if they have turned red) then follow the procedure set out on the label, thus:

- 1. Do not refuse shipment of the Cobra-8 system.**
2. Make a note on the delivery receipt that the indicator(s) have been activated and inspect the Cobra-8 system for any obvious damage.
3. If any damage is discovered, leave the Cobra-8 system in its original container and packaging and then request immediate inspection from the carrier within 15 days of delivery (or 3 days international). Contact HighWater Designs (or other supplier) to further discuss any problems.

3.4 Unpacking the Cobra-8 system

When you are ready to unpack the Cobra-8 system:

1. Site the crate to one side of a clear area at least 3m x 3m in size to allow room to move the Cobra-8 off the side of the pallet.
2. Remove the screws securing the top to the four sides then take the crate lid off.
3. Remove all four crate sides.
4. Move the top and four side panels away from the work area.
5. Carefully remove the clear plastic wrapping material from around the Cobra-8.
6. Remove the separately packed panels, along with their packaging, and the boxes containing the computer system peripherals and put these safely to one side.
7. Retain the loading/unloading rails stored inside the cladding at the front of the machine for unloading.
8. Unscrew and remove the two lateral cross members (A).




9. Unscrew and remove the two front-to-back cross members (B) that are positioned on the insides of the machine chassis and retain to assist with unloading.
10. Place the loading/unloading rails against the crate and align with the castors of the machine. It is recommended that you inspect the castors and place the rails on the side that will avoid the castors having to turn during the unload.
11. Ensure the machine's stabilizing pads, located in the castors, are fully disengaged by rotating the four orange-coloured cogs so that the pads are raised up fully.

12. Carefully wheel the Cobra-8 off the crate base and onto the loading/unloading rails, taking care to ensure that the rails do not move when the machine is wheeled onto them:




13. Remove the crate base and store along with any other crate panels and packaging.
14. Place the front-to-back cross members (B) along the legs of a pallet truck, in their tallest orientation, to provide the additional lifting height required to raise the Cobra-8 off the loading/unloading rails:




15. Using the pallet truck, lift the machine clear of the loading/unloading rails.

16. Remove the loading/unloading rails, rotate them 90 degrees (so that they are in their tallest orientation) and place them inboard of the castors.



17. Lower the machine onto the loading/unloading rails.
18. Remove the front-to-back cross members from the pallet truck, rotate them 90 degrees so that they are in their tallest orientation and place them back in position on the legs of the pallet truck.
19. Using the pallet truck, lift the machine clear of the loading/unloading rails.
20. Remove the loading/unloading rails and rotate them 90 degrees so that they are in their shortest orientation and place them back in position, inboard of the castors.
21. Lower the machine onto the loading/unloading rails.
22. Remove the front-to-back cross members from the pallet truck and store with the other crate packaging materials.



23. Using the pallet truck, lift the machine clear of the loading/unloading rails.
24. Remove the loading/unloading rails and store with the other crate packaging materials.

25. Lower the machine to the floor and remove the pallet truck.

Note: If a fork lift or high lift pallet truck is available, it may be possible to lift the machine directly from the loading/unloading rails or the crate itself, to the floor.

The Cobra-8 platesetter is now uncrated and can be moved into position, as described next.

3.5 Moving the Cobra-8 platesetter into position

To move the uncrated Cobra-8 into position:

1. Ensure that there is adequate space for access around the Cobra-8 platesetter, as specified in Appendix B.
2. With one person at each end to control the direction of the machine, manoeuvre the Cobra-8 into position in the brightroom.
3. When Cobra-8 is correctly positioned, lower the stabilizing pads to the floor by rotating the orange toothed cog just above each wheel. Cobra-8 will sit on these four pads.

Note: Levelling the Cobra-8 is not necessary. However, ensure that all four feet are firmly on the floor. If not, move the machine to a more even piece of floor.

Once the Cobra-8 platesetter is in the correct position you can continue with the installation:

1. Remove any packing material surrounding the vacuum pump assemblies situated inside the Cobra-8 chassis.
2. Connect the two vacuum pump mains cables to the vacuum pump assemblies.
3. Connect each vacuum pump mains plug to a suitable power outlet with the power cord provided.
4. The Cobra-8 is shipped with the cover wedged closed with foam pads. Remove these and check that the cover opens and closes with a smooth action.

3.6 Removing the transit bolt


The Cobra-8 platesetter is shipped with its optics carriage clamped. Removing the transit bolt allows the optics carriage to be unclamped and prepared for when the power is switched on.



Warning: Do NOT switch Cobra-8 on with the transit bolt in place.

To remove the transit bolt:

1. Locate the optics carriage clamping pillar. As viewed from the front of the Cobra-8, this pillar can be found at the top on the left hand side of the drum casting. Remove the M5 screw (usually coloured red) that secures the optics carriage to the pillar with a 4mm Allen key. The carriage is now free to move. (The picture shows the bolt as viewed from the front right of the Cobra-8 platesetter.)



Note: After the screw is removed, the pillar remains in place and should not be removed.


2. Check the drum for debris and vacuum clean, if necessary.

Note: When Cobra-8 is switched on and a test image sent to the platesetter, the carriage will automatically find its start position, ready to accept a plate (providing the cover is closed).

3.7 Cobra-8's end panels and cover

End panels

Cobra-8's two end panels were shipped at the back of the machine. You should fit these panels to the Cobra-8 platesetter now.



4. Connecting up the Cobra-8 system


After unpacking the Cobra-8 system and moving it into place, you need to connect the workstation to the Cobra-8 platesetter and then connect the system to a power supply. This chapter contains the following sections:

- 4.1, Connecting the workstation to the Cobra-8 platesetter (p21).
- 4.2, Connecting the Cobra-8 platesetter to a power supply (p21).

4.1 Connecting the workstation to the Cobra-8 platesetter

To unpack the workstation and connect it to the Cobra-8 platesetter:

1. Carefully unpack the Cobra-8 workstation.
2. Unpack the monitor, keyboard, mouse and cables and connect them to the workstation.
3. Connect the supplied USB 2.0 cable (already connected to the Cobra-8 USB port situated underneath the Cobra-8 base plate) to the computer workstation's USB port:



4. Connect the customer's RJ-45 network cable to the workstation.
5. If the customer ordered a two-computer Cobra-8 system, the second computer (running the Torrent RIP) can be connected anywhere on the network.

4.2 Connecting the Cobra-8 platesetter to a power supply



Warning: Before powering up the Cobra-8 system, make sure that the transit bolt has been removed, as described in section 3.6 on page 19.

This equipment **must** be earthed.

Five supply sockets are required for connecting the Cobra-8 system to a power supply (one each for the Cobra-8 platesetter, vacuum pumps, workstation and monitor). In all installations, the mains cables supplied with the Cobra-8 should be used.

For 110V installations and many European installations, the external mains cables are not fused, protection being given by the appliance's built-in fuses. For 230V installations which require the UK style mains plugs, note that the cables supplied for the engine and vacuum

pumps are fused with 10A BS1362 fuses, and the cables supplied with the PC and monitor are fused with 3A BS1362 fuses. In the rare event of fuse failure, always replace the fuse with the same type and rating.

The correct vacuum pump assembly must be used for the available supply. The product identification label (located next to the IEC power inlet) clearly indicates either 230V or 110V working.

The Cobra-8 platesetter requires three power outlets, accessible at all times and located as close as possible to the Cobra-8 system. Cobra-8 is rated at 230 volts 4.5 amps, or 110 volts 9 amps, and has a maximum power consumption of 1KW (these figures are based on the platesetter and vacuum pumps combined).

To connect the Cobra-8 system to a power supply:

1. It is recommended that the system is run from a 6-way mains distribution block.
2. The Cobra-8 platesetter is delivered fully-assembled (apart from computer workstation, monitor, keyboard, mouse and power cables). Connect the supplied power cable to the power inlet on the right-hand side panel of the Cobra-8 platesetter.
3. Check that there are no loose cables and that all the cables are plugged in firmly.
4. The computer workstation will also require two power outlets. It is rated at 2.5 amps and has a maximum power consumption of 600W.

Switch on the Cobra-8 platesetter first using the switch on its right-hand side. Then switch on the Cobra-8 workstation and the vacuum pumps.

To disconnect power completely from the Cobra-8:

- Before switching off Cobra-8, ensure that any imaging functions are complete and that any plate has been removed from Cobra-8's drum.
- Always shut down the computer workstation first (close down all running applications then select **Shut Down...** from the Windows **Start** menu).
- Turn the Cobra-8 platesetter off using the switch on the right-hand side.
- Switch off the vacuum pumps.
- To remove power completely from all system components, remove the AC power cord from the wall outlet.

5. Starting up, enabling and shutting down the Cobra-8 system

This chapter includes the following sections:

- 5.1, Starting up the Cobra-8 system and logging on (p23).
- 5.2, Enabling the Cobra software (p24).
- 5.3, Shutting down the Cobra-8 system (p25).

5.1 Starting up the Cobra-8 system and logging on

To start up the Cobra-8 system and log on:

1. Switch on the Cobra-8 platesetter using the switch on its right-hand side, then switch on the Cobra-8 workstation and vacuum pumps.
2. The Cobra-8 software, which runs under Windows XP Professional, has two logins:

Login type	User name	Password
Engineer This login lets you run the Cobra Test Tool software in engineer mode, which you use to perform standalone tests on Cobra's sub-systems and carry out the quality/calibration checks.	engineer	highwater
Customer/end-user login	cobra	<i>no password</i>

3. Log in as **engineer** with the password **highwater**.




Warning: Do not disclose the engineer login password to anyone, especially end-users, as this login provides access to test facilities, which, if used improperly, could cause personal injury or irreparable damage to the Cobra-8 platesetter.

4. The Cobra Test Tool software will launch automatically.


5.2 Enabling the Cobra software

Before you can run the Cobra software for the first time, it needs to be enabled using HighWater's Password Utility program. To do this:

1. If you have not done so already, attach the supplied dongle to the USB port of the machine. You must do this **now**, before you launch the HighWater Password Utility program.
2. When the dongle is attached to the machine, select **Start > Programs > HighWater Designs > Q2vx.x.x > Register Q2** to display the following dialog:



3. Type the supplied keycode (either the sequence of numbers or words) into the white text box at the bottom, then click on the **Enter Key** button.
4. If the keycode is valid, you will see the following message in the main window:



5. Click on the **OK** button to exit the HighWater Password Utility program.

You can now run the Cobra software applications.

5.3 Shutting down the Cobra-8 system

Later, when you are ready to close down the Cobra-8 system:

1. Make sure that all image output is completed.
2. Close down all running applications.
3. Shut down the Windows operating system by selecting **Shut Down...** from the **Start** menu.
4. When the computer system has closed down, Cobra-8 can be switched off at the side of the machine.
5. Also switch off the PC monitor and vacuum pumps.

6. Initial checks on the Cobra-8 platesetter

Before going through the plate loading sequence and carrying out the plate tests, you need to carry out some initial checks on the Cobra-8 platesetter, which are described in this chapter.

This chapter covers:

- 6.1, Checking the Cobra-8 system components (p27).
- 6.2, Cleaning the Cobra-8 drum (p28).

6.1 Checking the Cobra-8 system components

Before you can run through the cleaning procedure and installation tests you should make sure that all the Cobra-8 system components are operating correctly. To do this:

1. If it is not already running, launch the Cobra Test Tool by selecting **Start > Programs > HighWater Designs > Cobra Engine v1.x.x > Cobra Test Tool**.
2. In the Cobra Test Tool, click on the **System Tests** tab and select **System Status** from the drop-down menu.
3. Click the **Run Test** button. After a short time (usually less than 10 seconds), the results of the test are displayed, for example:



4. Each of the Cobra-8 platesetter's sub-systems is shown with its corresponding icon:



An application program. This is a file with the .exe extension.



A folder. This may not necessarily exist on your computer as it may be used to head a given category, such as 'hardware' or 'software'.



This indicates hardware inside the CTP engine. Each board in the CTP engine may carry one or more devices.



This indicates a memory device or other programmable device within the system.



This indicates a control device within the CTP engine. This may occupy an entire PCB, belong to a collection of control devices on the same PCB, or may even be distributed over more than one PCB. If this icon is displayed, the control device was successfully probed for status and version information.



This indicates a control device within the CTP engine. If this icon is displayed the control device was probed for status and version information but an error was encountered.




This indicates a control device within the CTP engine (which may be a software device or some other device that is not on the control bus). If this icon is displayed the component was successfully probed for status and version information.



This indicates a control device within the CTP engine (which may be a software device or some other device that is not on the control bus). If this icon is displayed the component was probed for status and version information but an error was encountered.



This icon represents an application, driver or dll file. (These are files with the .exe, .sys or .dll extension.)

If any icon is crossed through in red (for example ) , it is not responding and needs to be investigated. In the first instance, check the USB cable connection.

Note: If you cannot identify the cause of the problem, please call a support engineer.

6.2 Cleaning the Cobra-8 drum

Before loading a plate into Cobra-8, the drum and surrounding area must be checked for loose debris that may have settled during transit or unpacking. Use a soft brush and lint-free cloth (or a vacuum cleaner hose) to clean the drum.

7. Loading a plate onto the drum

After cleaning the Cobra-8 drum you are ready to start the plate tests. Before you do these, however, you should load a plate onto the Cobra-8 drum to make sure that the register bar and vacuum are working properly.

This chapter covers the following:

- 7.1, Selecting the registration bar pins (p29).
- 7.2, Setting up the vacuum channels (p30).
- 7.3, Loading a plate into the Cobra-8 drum (p30).
- 7.4, Unloading the plate (p32).




Warning: Make sure that you are familiar with plate handling procedures, as described in section 2.2 on page 10.

7.1 Selecting the registration bar pins

The Cobra-8 platesetter's register bar gives a choice of two 'U' notch registrations, depending on the customer's choice:

	Option 1	Option 2
Inner registration	425mm	425mm
Outer registration	780mm	830mm

The locking wheels and levers on the registration bar let you select the inner or outer set of registration pins:



Note: The Cobra-8 register bar requires a round 'U' notch on the left-hand side of the plate and a square notch on the right-hand side of the plate, so plates must be punched to this format.

To select the inner (425mm) registration

To select the inner registration:

1. Slowly turn the locking wheels anti-clockwise until the levers move to the left.
2. Re-tighten the locking wheels.


To select the outer (780 or 830mm) registration

To select the outer registration:

1. Loosen the locking wheels by turning them clockwise.
2. Move the levers to the right and hold them there while you re-tighten the locking wheels.

7.2 Setting up the vacuum channels

The Cobra-8 platesetter holds the plate in place in the drum using a vacuum, which is applied to up to 26 channels across the drum. Before imaging a plate, you must ensure that all the channels covered by the plate are switched on and any uncovered channels are switched off. You do this using the vacuum channel switches, which sit just above the register bar:



To switch a vacuum channel on or off:

- **On:** Rotate the vacuum channel switch from left to right (clockwise) to turn the channel on (as indicated by **O** on the switch).
- **Off:** Rotate the vacuum channel switch from right to left (anti-clockwise) to turn the channel off (as indicated by **X** on the switch).

Notes: Rotate the switches by running your finger across them.

The central 12 vacuum switches cannot be rotated.

When you have finished, make sure that all channel switches sit flush with the Cobra-8 drum.

7.3 Loading a plate into the Cobra-8 drum



Warning: When handling plates, make sure that you follow the safe working procedures described in section 2.2.

In order to load a plate into the register bar, the software (either the Cobra Test Tool or the Cobra Console) must be running and set up to request a plate load — the register bar will not function without software telling it to do so. Hence, you need to initiate image output from the Cobra Test Tool. This section shows you how to output the 'calibration strips' job (although which job is output at this point is not relevant).

Before loading the plate


Before loading a plate into Cobra-8's drum:

1. Remove the interleave sheet from the plate.
2. Punch the plate, as appropriate.
3. Switch on the brightroom's yellow light or other safety lighting and close the door.
Note: Make sure that no-one enters the room while you are loading/unloading plates.
4. Open Cobra-8's cover.
5. Select the required registration bar pin option, as described in section 7.1.
6. Set the vacuum channels correctly for the plate size, as described in section 7.2.

Selecting a job for output

To select a job to output to the Cobra-8 platesetter:


1. If it is not already running, launch the Cobra Test Tool by selecting **Start > Programs > HighWater Designs > Cobra Engine v1.x.x > Cobra Test Tool**.
2. In the Cobra Test Tool, select the **Plate Parameters** tab:



3. Select a suitable plate from the **Name** pull-down menu.

Note: The plate names available on this dialog were created in the Cobra Layout Tool. If the required plate is not available you can either create it in the Cobra Layout Tool (this is covered in chapter 8) or you can alter the plate values on this dialog to suit your requirements. If you do this, the values you enter will remain even when you re-launch the Cobra Test Tool program. To restore the values to their initial values (i.e. those set in the Cobra Layout Tool), re-select the plate **Name** from the pull-down menu.

4. Next, click on the **System Tests** tab and select **Calibration Strips** from the pull-down menu at the top of the pane. The following dialog is displayed:




- Click on the **Browse** button and select the **CalStrip_835mm_175lscr.TIF** file then click on **Open**.
Note: The default location of this file is D:\Cobra\Engine vx.x.x\calibration jobs.
- Click on the **Run Test** button. You will be asked to load the plate into the Cobra-8 drum, as described next.

Loading the plate

To load the plate:

- Pick up the plate along its top and bottom edges (typically, with your left hand on the top of the plate and your right hand on the bottom of the plate).
- Offer the plate into Cobra-8's drum by flexing it to form a semi-cylindrical shape.
- Use your free hand to arm the register bar by pressing the **Load** button. All four LEDs will flash:



- Slide the plate under the register bar so that the punched slots sit in the pins.
- When the plate is in the correct position, the outer- or innermost two LEDs (depending on the plate size) will light and the clamp will automatically engage and the vacuum start.

Notes: If, during this process a contact is lost, its indicator will flash rapidly. If this occurs, press the **Load** button, pull the plate out from under the register bar, press the **Load** button again and reclamp the plate.

If you need to abandon the plate load at any point, press the **Load** button on the register bar. This will switch off the vacuum. You can now pull the plate out from the register bar.

- Plate loading is now complete.
- Visually check that the plate is fully flush with the Cobra-8 drum. If there is a gap between the drum and the plate then unload the plate and re-load it.
- When the plate is correctly loaded, close Cobra-8's cover. Now, Cobra-8 will start its imaging cycle.
- When Cobra-8 has finished imaging the plate, the Cobra Test Tool will ask you to open the cover and remove the plate, as described in the next section.

7.4 Unloading the plate

Once the plate has been imaged, unload it as follows:

- Make sure the plate will not be exposed to any light source that might fog it.
- Open Cobra-8's cover.

Note: Soon after the cover has been opened the vacuum will automatically switch off, thereby releasing the plate.

3. Carefully remove the plate from the drum.

The plate can now be processed, if required.

When you have finished

By now, you should have successfully loaded and unloaded a plate. If you still feel unfamiliar with the plate loading process then practise a few times until you feel more confident.

The following two chapters describe how to create plate definitions and how to carry out the plate tests.

8. Creating the plate definitions

Before you can carry out the plate tests described in chapter 10 you need to create a plate definition for every plate that the customer will be using and that you will be testing. This chapter shows you how to create the plate definitions using the Cobra Layout Tool.


This chapter contains the following sections:

- 8.1, Launching the Cobra Layout Tool (p35).
- 8.2, Setting the preferences (p36).
- 8.3, Creating a plate definition (p37).

8.1 Launching the Cobra Layout Tool

On the Cobra-8 workstation, launch the Cobra Layout Tool by selecting **Start > Programs > HighWater Designs > Cobra vx.x.x > Cobra Layout Tool**.


The Cobra Layout Tool software launches:



8.2 Setting the preferences

First, you need to set the preferences. To do this:

1. Click on the **Preferences** tab to view the following pane:




2. In the **Application Setup** panel, click on the **Layout editor** radio button.
3. Check the **Front of bed at bottom of screen** box.
4. In the **Choice Of Units** panel, select either **Metric** to display measurements in millimetres, or **Imperial** to display measurements in inches.
5. Click on the **Apply** button to apply any changes.

8.3 Creating a plate definition

To create a new plate definition:

1. Click on the **Plate** tab to display the following dialog:



2. Make a note of the current **Plate Name** in the menu at the top (you will need to re-select this when you have finished creating plates).
3. Click on the **Add...** button, type a new name for the plate then click on **OK**.
Note: Make sure that the plate name is meaningful, for example, **SM102**.
4. Type in the **Height** and **Width** of the plate.
Note: The height is the dimension from front to back of the Cobra-8 drum. The width is the dimension from left to right of the Cobra-8 drum.
5. Type in the **Thickness** of the plate (usually **0.3** or **0.15** mm).
6. Select **Positive** or **Negative** for the plate **Type**.
Note: Refer to the plate information in section A.1 on page 77 if you are not sure if the plate type is positive or negative.
7. Leave the **Laser** power setting at the default value.
Note: The correct laser power will be determined later when you carry out the plate tests described in chapter 9. When you have determined the correct laser power setting for each plate you will return to the Cobra Layout Tool and enter this information.
8. When you have finished, click on the **Apply** button to apply the changes.
9. Now, create a plate definition for **all** other plates that the customer will be using and that you will be testing.
10. When you have finished creating all the required plate definitions, select the **Plate Name** that was originally displayed when you started the session (see step 2 above) and

click on the **Apply** button. This ensures that the settings of the current layout (those selected on the Layout pane) are not altered.

11. When you have finished, close the Cobra Layout Tool.

The next chapter describes the plate tests that need to be carried out.

9. The plate tests

After transit and installation of the Cobra-8 platesetter you need to check that its operating parts are still correctly aligned and that the platesetter is outputting plates satisfactorily. This chapter takes you through the tests that need to be carried out.

This detailed chapter is intended mainly for engineers who are not familiar with the plate tests. More experienced engineers can work solely from Appendix C.

This chapter includes the following sections:

- 9.1, Requirements for the tests (p40).
- 9.2, Guidelines on taking measurements (p41).
- 9.3, Recording the test results (p41).
- 9.4, The plate tests (p42).



Warning: If you are not familiar with the plate tests then read this whole chapter carefully.

9.1 Requirements for the tests

Before you start the tests please make sure that you have the following:

Requirement	Notes	✓
Plate definition(s)	You need to set up a 'plate definition' for each plate the customer will be using and that you will be testing. Creating the plate definitions is covered in chapter 8. If you have not already created the required plate definitions, please do so now.	
Brightroom/darkroom and processor	These are required for outputting and processing the plates required for the plate tests. Ensure that the lighting is suitable for the plates being used (see "Required operating conditions" on page 79 for more information).	
Plates	<ul style="list-style-type: none"> You will need a minimum of 6 unexposed, good quality plates for the tests. Make sure the plates are compatible with the Cobra-8 system (refer to "Plate types" on page 77 for more details). Unless otherwise stated, you should use the largest available plate size for the tests (maximum 1080 x 850mm, 0.3mm thick). Typically, this will be the SM102 plate (1030 x 790mm). It is best to use square-edged plates, although this is not absolutely essential for most tests. <p>Warning: If plates do not have square edges some measurements may be affected, so you should take this into account when assessing the test results. The following sections have more information about this, where relevant. A simple check of plate squareness is to place one plate against another, emulsion side to emulsion side, and check if the edges line up.</p>	
1 metre precision steel ruler	This should have as fine rules as possible.	
Magnifying eye glass(es): one with a vernier scale	Ideally, you should have two eyeglasses: x10 and x100 magnification.	
Good lighting conditions	The plates you will output contain some very small/fine detail (text, lines, patterns, etc.). Therefore, you should examine the plates under good lighting conditions.	
A large, flat, clean surface	The plates need to remain flat and clean while you are taking measurements.	
Knowledge of vernier scales	For one of the tests, you are required to read a vernier scale.	
Plate densitometer	A plate densitometer is required for measuring the density patches off the plates.	

9.2 Guidelines on taking measurements


Measuring the rulers on the plates

It is vital that you ACCURATELY measure the rulers (or other objects) on the plates.

Make sure that you line up the 0cm (or other) mark on the steel ruler precisely with the 0cm mark on the plate, as shown in ① below.

In ② below, the rulers have **not** been accurately aligned so this will introduce an error into any measurements taken.

Note: When aligning the rulers, make sure that your eye is directly above the 0 (or other) marks you are measuring.



When taking measurements, use a magnifying glass with a vernier scale, if possible. When you are experienced at carrying out these tests you may be able to do them accurately enough 'by eye' but, if in doubt, always use a magnifying glass and scale.

Making visual checks

Some of the tests require that you make visual checks of objects on the plate (for example, the laser focus checks) rather than taking measurements with a ruler. Initially, you may find it difficult to assess the quality of the objects until you have gained more experience.

9.3 Recording the test results

When you have finished each test, you should record the test results in Appendix C and also follow any instructions on what to do if a test fails.



Warning: Generally, if any of the tests fail, you should call a service engineer. You are **not** permitted to make any adjustment or repair to the Cobra-8 system yourself unless you have the express permission from HighWater Designs Limited to do so. If in any doubt, call a service engineer.

9.4 The plate tests

The following sections of this manual take you through the various tests that are required. Four of the sections show you how to output the test plates, and their subsequent sections show what test(s) to carry out on each plate:

Plate/Test	Page
Plate 1: Calibration Strips	43
Test 1a: Laser Power	45
Plate 2: SM102 Scaling	48
Test 2a: Carriage Reference Setup	52
Test 2b: Fast Axis Scaling	54
Test 2c: Drum Reference	55
Test 2d: Plate Registration Skew	57
Test 2e: Focus and Spot Shape	58
Test 2f: Beam Bow	60
Test 2g: Orthogonality	62
Plate 3: Scaling with Slur	63
Test 3a: Plate Registration Repeatability	65
Plate 4: Full50	67
Test 4a: Flat Tint	70



Warning: The order in which you carry out some of the plate tests is important. Please follow any instructions you are given about this.

Some plate tests need to be carried out on both sets of register pins. The individual plate tests will tell you where this is the case.

The beginning of each test section contains important information about the plates and tests. **Please read this information carefully and follow any given instructions.**


The following sections contain diagrams of plates or parts of the plates that you will be checking. These diagrams are intended for GUIDANCE ONLY and, therefore, may not match the details on the plate exactly.

Plate 1: Calibration Strips

Plate Details	
Plate name	Calibration Strips
Use plate type	If possible, use an SM102 plate (or the largest plate size possible).
Job location on disk	D:\Cobra\Engine v1.0.1\calibration jobs\CalStrip_835mm_175\scr.TIF
Used in test	Test 1a: Laser Power (p45)
Notes	<p>You must output this plate and carry out the Laser Power test on it before carrying out any other tests.</p> <p>If you do not use an SM102 plate then, potentially, the plate may be too small to allow the power to increase sufficiently to achieve the required % dot values. If so, increase the 'Start Power' so that a maximum power of 100% can be output.</p>

To output the Calibrations Strips job:

1. In the Cobra Test Tool, select the **Plate Parameters** tab:




2. Select the required plate from the **Name** menu and check that the plate settings (**Width, Height, Thickness**, etc.) are correct.

Notes: The plate names available on this dialog were created in the Cobra Layout Tool. If the required plate is not available you can either create it in the Cobra Layout Tool (this is covered in chapter 8) or you can alter the plate settings on this dialog to suit your requirements. If you do this, the values you enter will remain even when you re-launch the Cobra Test Tool program. To restore the values to their initial values (i.e. those set in the Cobra Layout Tool), re-select the plate **Name** from the pull-down menu.

Do not adjust the values in the Calibration Strips panel.


The **Laser Power** value specified here is not relevant to the laser power test detailed in the next section.

- Next, click on the **System Tests** tab and select **Calibration Strips** from the pull-down menu at the top of the pane. The following dialog is displayed:



- Check that the **Plate Name** is correct.

Note: To view the plate details, hover the mouse cursor over the plate name. The plate's width, height, thickness and type are displayed:



- Click on the **Browse...** button to display the Open dialog.
- Select the file: **D:\Cobra\Engine v1.0.1\calibration jobs\CalStrip_835mm_175lscr.TIF** then click on **Open**.
- Enter **12.00 %** for the **Start Power** and **3.00 %** for the **Power Step**.
Note: If you are not using a full-size plate then set the **Start Power** to **18.00 %**.
- Click on the **Run Test** button and, when prompted, load the plate into the Cobra-8 drum then close Cobra-8's cover.
- The Calibration Strips job is output to the plate.
Note: As the job is output, you will see the Strip Progress bar move from 0-100 as each strip is output, and the (overall) Progress bar will move, more slowly, from 0-100 to indicate the progress of the full set of calibration strips for this test.
- When the job has been output, remove the plate from Cobra-8 and process it.

Next, you will carry out the Laser Power test on this plate, as described in the following section.

Test 1a: Laser Power

Test Details	
Test name	Laser Power
Test purpose	This test determines the correct laser power for the plate
Test plate/job	Plate 1: Calibration Strips
Notes	<p>Warning: This test is ONLY valid for silver (LAP-V) plates. For polymer plates, refer to the laser power setting on the label as this has been calculated to produce the manufacturer's recommended expose energy ($\mu\text{J}/\text{cm}^2$) for the plate on the particular machine. Please contact HighWater Designs if you require more information.</p> <p>You must carry out the laser power test before outputting any other plates as the results of this test are required for all subsequent tests.</p> <p>Ideally, you should perform a laser power test for each plate thickness used and also on plates from different manufacturers.</p>
Acceptable tolerance	<p>$\pm 10\%$ on factory setting</p> <p>In any case, the laser power should not go above 80%.</p>
If this test fails	Immediately call a service engineer for advice.

Getting the factory set laser power

Before carrying out the laser power test you need to obtain the factory set laser power value. This is printed on a label on the Cobra-8 platesetter.

The label contains details of the various power levels to be used with the plate types that are supported by Cobra-8, together with any requirement for a filter, for example:

Recommended Expose Levels							
Plate	Filter	Energy	Laser Setting	Energy	Laser Setting	Suggested midtone	
Silver	SilvND	2.0	45%			50%	
VioletPrint	PolyND	28	18%	35	22%	54-55%	
N91v/LVX	PolyND	30	19%				
Fuji LP-NV	ZeroND	90	58%	70	45%	57-58%	
Machine	Cb: 000	CB108BV60EN36K		ND Filter	mW power	Trans %	ND Value
Laser	LD: 000			ZeroND	16.0	100%	0
Spinner	SR00	Date: 30-Aug-07		PolyND	16.0	100%	0.00
				SilvND	0.400	2.50%	1.60

Notes: If there is no label on the Cobra-8 machine, carry out the following test but without the factory set reference value.

Please contact HighWater Designs for more information about filters.

Determining the laser power for the plate

To determine the correct laser power setting for the plate:

1. Place the Calibration Strips job in front of you with the grip edge at the bottom, as shown in ①.
2. Select any one row of 50% patches to measure, as shown in ② (it does not matter which row you choose).
3. Using the plate densitometer, and starting from either the left or right-hand side of the plate, measure each 50% patch in the selected row until you get a reading of approximately 52% for a silver Agfa LAP-V positive working plate.


Note: For correct readings for other types of plate please contact your dealer.

4. Running down the right-hand edge of the correct patch is a vertical line of text, which includes the date, job name, resolution and plate size, as shown in ③.

This text also contains a laser power value (in this example, 42.00%), which is the correct setting for this plate.

Note: If necessary, keep reading up/down the line of text until you reach the **Power** information.

5. For a test pass, this laser power reading should be within $\pm 10\%$ of the laser power setting on the label.



For example, the correct laser power setting for this plate is 45% (read from the label), so a power value between 35% and 55% for this plate would constitute a test pass.

Note: If there is no power level label on the Cobra-8 machine, then carry out this test without the factory set reference values.

6. When you have finished, make a note of both the factory set laser power and the laser power that you have measured on the plate in "1a. Laser Power" on page 84.
7. If you are using different plate sizes, thicknesses and/or plates from different manufacturers, carry out this laser power test on all those plates: output the Calibration Strips job on each plate type, as described on page 43, then carry out the laser power test on each plate.


Note: Later, you will enter these values into the Cobra Layout Tool's plate details.

Plate 2: SM102 Scaling

Plate Details	
Plate name	SM102 Scaling
Use plate type	If possible, use an SM102 plate (1030 x 770mm, 0.3mm thick).
Job location on disk	D:\Cobra\Engine v1.0.1\Calibration Jobs\Scaling\SM102\scalingv6SM102.TIF
Used in tests	Test 2a: Carriage Reference Setup (p52) Test 2b: Fast Axis Scaling (p54) Test 2c: Drum Reference (p55) Test 2d: Plate Registration Skew (p57) Test 2e: Focus and Spot Shape (p58) Test 2f: Beam Bow (p60) Test 2g: Orthogonality (p62)
Notes	Do not output this job until you have output the Calibration Strips job and determined the correct laser power for the plate (as described on page 43). Some tests require that the job has been output on both sets of registration pins.

To output the SM102 Scaling job:

1. In the Cobra Test Tool, select the **Plate Parameters** tab:




2. Select the SM102 (or other) plate from the **Name** menu and check that the plate settings (**Width, Height, Thickness**, etc.) are correct.

Notes: The plate names available on this dialog were created in the Cobra Layout Tool. If the required plate is not available you can either create it in the Cobra Layout Tool (this is covered in chapter 8) or you can alter the plate settings on this dialog to suit your requirements. If you do this, the values you enter will remain even when you re-launch the Cobra Test Tool program. To restore the values to their initial values (i.e. those set in the Cobra Layout Tool), re-select the plate **Name** from the pull-down menu.

Any changes you make to the plate details here will not affect the plate details specified in the Cobra Layout Tool.


Do not adjust the values in the Calibration Strips panel.

- Next, select the **Component Tests** tab then select **Image Output** from the drop-down menu to display the following:




- Check that the **Plate Name** is correct.

Note: To view the plate details, hover the mouse cursor over the plate name. The plate's width, height, thickness and type are displayed:




- Make sure that the **Use CTP Engine** box is checked.
- Make sure that the **Random Data** box is unchecked.
- Click on the **Browse...** button to display the Open dialog.
- Select the file: **D:\Cobra\Engine v1.0.1\Calibration Jobs\Scaling\SM102\scalingv6SM102.TIF**.


9. Click on the **Settings...** button to display the following dialog:



10. Uncheck the **Do Step Power** box.
11. In the Settings panel, set the required **Laser power**, as obtained from the Laser Power test on page 45.
12. Do not select any options in the Options panel.
13. Click on **Finish** to return to the previous dialog.
14. Click on the **Advanced...** button to display the following dialog:



15. Click on the **LoadDefaults** button.
16. Click on **Finish** to return to the previous dialog.
17. Click on the **Run Test** button.
18. The following warning message may appear:



If so, click on **OK** to continue.

19. When prompted, load a plate into Cobra-8's drum and, when it has been imaged, process it.
20. Now, re-output the job using the other set of registration pins.

The following sections detail the tests you need to carry out on this plate.


Test 2a: Carriage Reference Setup

Test Details	
Test name	Carriage Reference Setup
Test purpose	Checks the image start position in the slow-scan direction
Test plate/job	Plate 2: SM102 Scaling job
Notes	This test must be carried out on plates that were output on both sides of the register bar.
Acceptable tolerance	0–0.25mm. A result between 0.75 and 1mm is a test pass.
If this test fails	Continue with the remaining tests but call a service engineer when you have finished all the tests.

To check the Carriage Reference Setup:

1. Place the SM102 Scaling job in front of you with the grip edge at the bottom, as shown in ①.
2. In the bottom right-hand corner of the plate you will see two rulers: one along the fast-scan and one along the slow-scan direction, as shown in ②.

Continued overleaf...




- On the slow-scan ruler measure the distance between the right edge of the plate and the 1mm mark, i.e. the distance **A** shown in **3a**.

Note: Make sure that there is a 1mm mark. If the first visible mark is the 2mm (or more) mark, as shown in **3d**, then the test has failed.

A tolerance of +0–0.25mm is acceptable for this test, so the width of **A** should be between 0.75 and 1mm for a test pass.

Note: In the examples shown on the right, **3b**, **c** and **d** all constitute a test fail because the measurement from the edge of the plate to the 1mm mark is not between 0.75 and 1mm, or because there is no 1mm mark on the plate.

- When you have finished, record the results in "2a. Carriage Reference Setup" on page 85.



Test 2b: Fast Axis Scaling

Test Details	
Test name	Fast Axis Scaling
Test purpose	This test checks that the image height (i.e. in the fast-scan direction) is accurate
Test plate/job	Plate 2: SM102 Scaling job
Notes	This test assumes that you have used the SM102 scaling job, which will produce a rule of 58cm. If you have used a different sized plate, then measure to the furthest centimetre mark.
Acceptable tolerance	±0.1mm
If this test fails	Continue with the remaining tests but call a service engineer when you have finished all tests.

To check the Fast Axis Scaling:

1. Place the SM102 Scaling job in front of you with the grip edge at the bottom, as shown in **1**.

2. On the inside of the plate, you will see a vertical ruler labelled from 0 to 58cm, as shown in **2**.

Note: If you have not used an SM102 size plate, the ruler may be shorter than 58cm.

3. Place the 1 metre steel ruler alongside the ruler on the plate.

Note: Align the 0cm mark on the steel rule **exactly** with the 0cm mark on the plate, as described in "Guidelines on taking measurements" on page 41.


4. **Very carefully** measure the distance between the 0cm and 58cm marks on the plate (or other chosen mark, if the ruler is not 58cm long), as shown in **2**, between points **A** and **B**.

Note: It may help to use a x10 eye glass to get a more accurate ruler measurement.

5. At the top of the plate where the 58cm (or other) mark lies, carefully read the value on the steel rule.

For a pass, this measurement should read 58cm ±0.1mm (or the length you have measured ±0.1mm).


6. When you have finished, record the results in "2b. Fast Axis Scaling" on page 86.




Test 2c: Drum Reference

Test Details	
Test name	Drum Reference
Test purpose	This test checks the fast-scan start position of the laser relative to the front edge of the drum
Test plate/job	Plate 2: SM102 Scaling job
Notes	This test must be carried out on plates that were output on both sets of registration pins.
Acceptable tolerance	±0.1mm
If this test fails	Continue with the remaining tests but call a service engineer when you have finished all tests.

First, you need to get the drum reference value for the Cobra-8 platesetter. To do this:

1. In the Cobra Test Tool, click on the **Component Tests** tab then select **Engine Calibrations** from the pull-down menu.
2. Click once on the scroll right button  to display the Register bar settings window:



3. Click on the **Load** button.
4. From the 'Outer Register Pins' and 'Inner Register Pins' panels, make a note of the **Unimageable plate in clamp** values (you will compare these to the actual measurements taken from the plates).


To measure the actual unimageable part of the plate:

1. Place the SM102 Scaling job in front of you with the grip edge at the bottom, as shown in ①.
2. **Very carefully** measure the distance between the grip edge of the plate and the 0mm mark on the plate, as shown in ②, between points **A** and **B**.

Note: You can ensure that the ruler is perpendicular by aligning it with the vertical ruler running near to the outside edge of the plate.

For a pass, this measurement should be accurate to within $\pm 0.1\text{mm}$. For example, if the 'Unimageable Plate in Clamp' value obtained from the Cobra Test Tool is 15.00mm, then an actual measurement between 14.9mm and 15.1mm is acceptable.

3. When you have finished, record the results in "2c. Drum Reference" on page 87.
4. Now, carry out the test using the plate punched for the other set of registration pins.




Test 2d: Plate Registration Skew

Test Details	
Test name	Plate Registration Skew
Test purpose	This test checks that the plate is sitting squarely under the register bar
Test plate/job	Plate 2: SM102 Scaling job
Notes	This test must be carried out on plates output on both sets of registration pins.
Acceptable tolerance	$\pm 0.1\text{mm}$
If this test fails	Continue with the remaining tests but call a service engineer when you have finished all tests.

To check the Plate Registration Skew:

1. Place the SM102 Scaling job in front of you with the grip edge at the bottom, as shown in ①.
2. Near the left-hand edge of the plate, **very carefully** measure the distance between the bottom edge of the plate and the 0cm mark, as shown in ②a, between points A and B.
3. Near the right-hand edge of the plate, **very carefully** measure the distance between the bottom edge of the plate and the 0cm mark, as shown in ②b, between points C and D.

For a pass, the measurement AB should be within $\pm 0.1\text{mm}$ of measurement CD. For example, if AB is exactly 15mm, then CD must be between 14.9 and 15.1mm.



4. When you have finished, record the results in "2d. Plate Registration Skew" on page 88.


Test 2e: Focus and Spot Shape

Test Details	
Test name	Focus and Spot Shape
Test purpose	These checks are used to judge the laser focus
Test plate/job	Plate 2: SM102 Scaling job
Notes	You will not take any measurements in this section. Instead, you will be making a visual assessment of the laser's focus.
Acceptable results	<ul style="list-style-type: none"> The 10 micron spot should be visible. Lines should be sharp and easily distinguishable from each other. There should be a visible (but not severe) step at the 50% point in the vignettes. The 10–40µm lines should be of equal width and there should be no areas where the lines disappear.
If this test fails	Continue with the remaining tests but call a service engineer when you have finished all tests.

To carry out the Focus and Spot Shape checks:

1. Place the SM102 Scaling job in front of you with the grip edge at the bottom, as shown in ①.
2. In the bottom corner of the plate, you will see some very small boxes and 2pt text, similar to that shown in ②.
3. In the middle of box **A**, where the two lines intersect, there should be a visible 10 micron spot, as shown in ③.

Continued overleaf...



4. Locate any set of the 2 large vignettes on the plate, as shown in 4.

On a correctly set and focused laser there should be a noticeable (but not severe) visible step at the 50% point.




Note: This occurs when the corners of the Euclidean dot start to bleed into each other.

If there is no apparent step at 50%, this may indicate poor laser focus.

5. Locate the concentric circles and 40µm lines, as shown in 5 and 6.

The spot quality is affected by the laser switching times. At the correct power, a typical Cobra-8 laser and optics should be capable of resolving 10µm lines and dots. Ideally, the white and black lines should be of equal thickness in both the slow and fast axes, as shown in 5a and 6a.

6. When you have finished, record the results in "2e. Focus and Spot Shape" on page 89.



Test 2f: Beam Bow


Test Details	
Test name	Beam Bow
Test purpose	This test checks if the laser scans absolutely perpendicularly to the drum surface
Test plate/job	Plate 2: SM102 Scaling job
Notes	You cannot measure the plate accurately if it does not have square edges.
Acceptable tolerance	$\pm 0.1\text{mm}$
If this test fails	Continue with the remaining tests but call a service engineer when you have finished all the tests.

To carry out the Beam Bow check:

1. Place the SM102 Scaling job in front of you with the grip edge at the bottom, as shown in ①.
2. Running down the right-hand side of the plate you will see a ruler labelled from 0 to 75cm, as shown in ② overleaf.

Note: If you have not used an SM102 size plate, the ruler may be shorter than 75cm.

Continued overleaf...



3. You need to take three measurements from the right-hand edge of the plate to this ruler, as shown in ②:

- A** Take one measurement at the bottom of the plate, near the 0cm mark.
- B** Take one measurement roughly in the middle of the plate, near the 37cm mark (or other mark if you did not use an SM102 size plate).
- C** Take one measurement at the top of the plate, near the 75cm mark (or other mark if you did not use an SM102 size plate).


4. If there is no significant bowing of the beam these three measurements **A**, **B** and **C**, should be within $\pm 0.1\text{mm}$ of each other, as shown in ③a. This constitutes a test pass.

If the beam is bowed then the measurements will not be within $\pm 0.1\text{mm}$ of each other, as shown in ③b.

Notes: The beam bow has been exaggerated in this diagram. Typically, you would not be able to tell 'by eye' that the beam is bowed.

If the plate you used was not square, this should be taken into account as it will affect the measurements taken.

5. When you have finished, record the results in "2f. Beam Bow" on page 90.



Test 2g: Orthogonality

Test Details	
Test name	Orthogonality
Test purpose	This test checks that the laser scans perpendicularly to the grip edge of the plate. This is checked by measuring the diagonals across a square feature.
Test plate/job	Plate 2: SM102 Scaling job
Notes	None
Acceptable tolerance	$\pm 0.1\text{mm}$
If this test fails	Continue with the remaining tests but call a service engineer when you have finished all tests.

To carry out the Orthogonality check:

1. Place the SM102 Scaling job in front of you with the grip edge at the bottom, as shown in ①.
2. On the plate image, you will see 4 intersecting rulers running from 0 to 58cm vertically, and from 0 to 72cm horizontally.

Note: If you have not used an SM102 size plate, the rulers may be different lengths to those specified above.

3. You need to take two diagonal measurements across the plate from where the rulers intersect, as shown in ②: one measurement from **A** to **C**, and one measurement from **B** to **D**.

For a pass, the measurement **AC** should be within $\pm 0.1\text{mm}$ of measurement **BD**. For example, if **AC** is exactly 93cm, then **BD** must be between 92.9 and 93.1cm.

4. When you have finished, record the results in "2g. Orthogonality" on page 91.





Plate 3: Scaling with Slur

Plate Details	
Plate name	Scaling with Slur
Use plate type	Use an SM102 plate, if possible (or the largest plate size available)
Job location on disk	D:\Cobra\Engine v1.0.1\Calibration Jobs\scaling\SM102
Used in test	Test 3a: Plate Registration Repeatability (p65)
Notes	<p>You need to output this job on both sets of registration pins.</p> <p>This plate has a number of separate jobs (usually 8) imaged onto it. It takes approximately 15-20 minutes to image and process this plate. You will need to be present to load/re-load the plate between each job output.</p> <p>Do not output this job until after you have output the Calibration Strips job and determined the correct laser power setting for the plates (as described on page 43).</p>

To output the Scaling with Slur job:

1. In the Cobra Test Tool, select the **Plate Parameters** tab:




2. Select the required plate from the **Name** menu and check that the plate settings (**Width, Height, Thickness**, etc.) are correct.

Notes: The plate names available on this dialog were created in the Cobra Layout Tool. If the required plate is not available you can either create it in the Cobra Layout Tool (this is covered in chapter 8) or you can alter the plate values on this dialog to suit your requirements. If you do this, the values you enter will remain even when you re-launch the Cobra Test Tool program. To restore the values to their initial values (i.e. those set in the Cobra Layout Tool), re-select the plate **Name** from the pull-down menu.

Any changes you make to the plate details here will not affect the plate details specified in the Cobra Layout Tool.


Do not adjust the values in the Calibration Strips panel.

- Next, select the **Component Tests** tab then select **Slur Test** from the drop-down menu to display the following:



- Check that the **Plate Name** is correct.

Note: To view the plate details, hover the mouse cursor over the plate name. The plate's width, height, thickness and type are displayed:



- In the Test Images Path panel, click on the **Browse** button to open the Browse for Folder dialog.
- Locate the **D:\Cobra\Engine v1.0.1\Calibration Jobs\scaling\SM102** folder then click on the **Open** button.
- In the Controls panel, type in the correct **Laser Power** setting for the plate (this is the value that was determined in the laser power test on page 45).
- In the Between Images panel, check the **Always Reload Plate** box.
- Click on the **Run Test** button.
- When prompted to do so, load a plate into the Cobra-8 drum and close the cover.

During plate imaging, the 'Test Progress' and 'Progress bars' show how much of each individual job and the whole job has been imaged.

The Cobra Test Tool will tell you each time you need to reload the plate.

- When the plate has been fully imaged with all jobs, you will see a message. You can now remove the plate from Cobra-8's drum and process it.
- Now, re-output the job using a plate on the other set of registration pins.

The next section describes the test to carry out on these plates.

Test 3a: Plate Registration Repeatability

Test Details	
Test name	Plate Registration Repeatability
Test purpose	The test plate has 8 separate jobs superimposed onto each other and it is used to check the accuracy and repeatability of the registration.
Test plate/job	Plate 3: Scaling with Slur
Notes	You must be able to read vernier scales for this test. This test should be carried out on plates output on both sets of registration pins.
Acceptable tolerance	±0.05mm (50µm) in each axis
If this test fails	Continue with the remaining tests but call a service engineer when you have finished all tests.

To carry out the Plate Registration Repeatability test:

1. Place the Scaling with Slur job in front of you with the grip edge at the bottom, as shown in ①.
2. Locate one of the four black rectangles shown in ①. In this rectangle you will see boxes of 50% tints made up from a 45 degree screen, fine horizontal lines and fine vertical lines. Next to these boxes you will see small vernier scales in the slow and fast-scan directions, as shown in ②.


3. In the 50% tint boxes, any variation in repeatability will result in the word SLUR appearing in the tints, as shown in ③.

Note: Typically, you *will* see the word SLUR appear in the tints. However, this does not necessarily mean that there is a repeatability problem with the plate.

4. Next, look at the vernier scales, shown in ④, to determine the repeatability error.

The fine scale on the vernier is in 0.1mm (or 100µm) units, and the coarse scale is calibrated to show a difference of 0.01mm.

In the example shown in ④, the 0 on the coarse scale just passes the first tick right of the zero on the fine scale. So the measurement is greater than 100µm. The first tick on the coarse scale, right of the 0, lines up exactly



with the tick on the fine scale, so you can add $10\mu\text{m}$ to determine that the repeatability error is $110\mu\text{m}$ (which, for this test, would constitute a fail).



5. Find the repeatability error for both a vernier in the fast-scan and slow-scan direction.
6. You should check one of the vernier scales in **each** of the four black rectangles shown in . Widely differing measurements across the plate may indicate a repeatability or vacuum hold-down problem.
7. When you have finished, record the results in "3a. Plate Registration Repeatability" on page 92.
8. Now repeat the test on the other plate.

Plate 4: Full50

Plate Details	
Plate name	Full50
Use plate type	This job should be output on every plate size and thickness to be used by the customer. (The Flat Tint test carried out on this plate, described on page 70, can highlight problems with vacuum hold down of the plate, which may vary with different sized plates.)
Job location on disk	D:\Cobra\Engine v1.01\calibration jobs\SM102_Full50v2.tif
Used in test	Test 4a: Flat Tint (p70)
Notes	Do not output this job until you have output the Calibration Strips job and determined the correct laser power setting for the plates (as described on page 43).

To output the Full50 plate:

1. In the Cobra Test Tool, select the **Plate Parameters** tab:




2. Select the required plate from the **Name** menu and check that the plate settings (**Width, Height, Thickness**, etc.) are correct.

Notes: The plate names available on this dialog were created in the Cobra Layout Tool. If the required plate is not available you can either create it in the Cobra Layout Tool (this is covered in chapter 8) or you can alter the plate values on this dialog to suit your requirements. If you do this, the values you enter will remain even when you re-launch the Cobra Test Tool program. To restore the values to their initial values (i.e. those set in the Cobra Layout Tool), re-select the plate **Name** from the pull-down menu.


Any changes you make to the plate details here will not affect the plate details specified in the Cobra Layout Tool.

Do not adjust the values in the Calibration Strips panel.


- Next, select the **Component Tests** tab and, from the drop-down menu, select **Image output** to display the following:




- Make sure that the **Use CTP Engine** and **Checksum Data** options are checked.
- Make sure that the **Random Data** option is unchecked.
- Click on the **Browse...** button to display the Open dialog.
- Select the **D:\Cobra\Engine v1.01\calibration jobs\SM102_Full50v2.tif** file then click on the **Open** button.
- Click on the **Settings...** button to display the following:



9. Uncheck the **Do Step Power** box.
10. In the Settings panel, set the required **Laser power**, as obtained from the Laser Power test on page 45.
11. Do not select any options in the Options panel.
12. Click on **Finish** to return to the previous dialog.
13. Click on the **Advanced** button to display the following dialog:



14. Click on the **LoadDefaults** button.
15. Click on **Finish** to return to the previous dialog.
16. On the **Component Tests** tab, click on the **Run Test** button.
17. The following warning message may appear:



If so, click on **OK** to proceed with the test.

18. Load a plate into the Cobra-8 drum and, when it has been imaged, process it.
19. Now, output the Full50 job on every other plate type the customer will be using.


The following section details the test you need to carry out on this plate.

Test 4a: Flat Tint

Test Details	
Test name	Flat Tint
Test purpose	The flat tint test checks for any variation in the flat tint across the plate
Test plate/job	Plate 4: Full50
Notes	None
Acceptable tolerance	No banding in the slow or fast axes ±2% variation across the plate 52% (or other) measurement across plate, depending on plate type
If this test fails	Call a service engineer

To carry out the Flat Tint test:

1. Place the Full50 job in front of you with the grip edge at the bottom, as shown in ①.
2. Look for a noticeable 2mm banding in the slow or fast-scan direction. This occurs if the carriage is not traversing smoothly across the plate.
3. At various locations on the plate (typically, those shown in ②) use the densitometer to take measurements. All values should be within 2% of each other. If they are not, this may indicate a problem with the vacuum hold-down.
4. The measurements taken in step 3 should be 52% for a positive working Agfa LAP-V plate to a tolerance of ±2% (for correct readings for other types of plate please contact your dealer).



If the measurements are not the required value (depending on the plate type) then repeat the laser power check (on page 45) and output the Full50 job again using the revised laser power.

5. When you have finished, record the results in "4a. Flat Tint" on page 93.
6. Now, carry out the same test on all other Full50 jobs output.

10. Setting up the Cobra software

Once the Cobra-8 system has been installed and checked you need to set up the HighWater software applications that enable the user to output jobs to the Cobra-8 platesetter.

This chapter contains the following sections:


- 10.1, Job flow through the Cobra-8 system (p71).
- 10.2, Setting up the software (p73).

Note: This chapter is intended for engineers who are unfamiliar with the software that runs on the Cobra-8 workstation. Please also consult the **Cobra-8 User's Guide** for more details on the specific applications and for workflow information.

10.1 Job flow through the Cobra-8 system

The diagram on the following page shows the typical job flow through the Cobra-8 system.

Note: The diagram shows the Cobra-8 system with the two-computer configuration (i.e. the Torrent RIP running on a separate workstation on the network). Some users may have a one-computer system configuration (that is, with Torrent running on the Cobra-8 PC).



1
Printing the job
 You print a job to Torrent from a page make-up workstation (either Mac or PC) on the network, via a Cobra-8 print queue.

2 3
The Torrent RIP
 Jobs are processed by the Torrent RIP and output as TIFF bitmap files to a sub-directory of K:\PLOTDATA\BITMAPS on the Cobra-8 PC.

4
Cobra Console
 These bitmap TIFF files are moved into the appropriate queue in the Cobra Console, ready for processing.

Note: The Cobra Console gets the queue names and other processing details from the Queue Configuration (**5**), and the plate and job information from the appropriate Layout file created in the Cobra Layout Tool (**6**).

7
Cobra-8 platesetter
 Finally, the image is output to the Cobra-8 platesetter.

10.2 Setting up the software

Setting up the Cobra-related software applications for the user is described in the table below (the specific chapter/section to refer to in the **Cobra-8 User's Guide** for instructions is also listed).

Note: The Cobra-8 system ships with a set of pre-configured plate definitions, layout definitions, ICF files and queues. Therefore, it should only be necessary to delete from or add to these, as required, and task 1 specified below (creation of the Imager and Completed queues) should not be necessary unless the pre-configured settings are not available.

	TASK	See Cobra-8 User's Guide
1	<p>Note: This step should not be required as the Imager and Completed queues should already exist on the new Cobra-8 system. If not, then create these queues, as required.</p> <p>Create the Imager and Completed queues (only do this once) The Imager queue feeds jobs (coming from the TicketMaker queues) to the Cobra-8 platesetter. Processed jobs are moved to the Completed queue where they can be re-output, if required.</p>	<p>Appendix A Appendix B</p>
2	<p>Determine how many workflows are required The path of each job through the system is known as a 'workflow'. A separate workflow is required for each different combination of settings: plate size; plate thickness; plate type (negative or positive); plate borders.</p>	Chapter 10
FOR EACH REQUIRED WORKFLOW:		
3	<p>Choose a name for the workflow Each workflow requires a unique name, usually based on the press model.</p>	Section 10.3
4	<p>Create a page setup and input queue in the Torrent RIP In the Torrent RIP, a page setup defines the settings (resolution, page size, etc.) to be applied to jobs sent to Torrent. The input queue lets you print jobs to Torrent from across the network.</p>	Chapter 11
5	<p>Create a BITMAPS directory TIFF files created by the Torrent RIP are saved here.</p>	Section 11.1
6	<p>Create a Layout file in the Cobra Layout Tool Layout files contain the plate and job position information that the Cobra Console needs for outputting jobs to the Cobra-8 platesetter.</p>	Chapter 13
7	<p>Create a queue using the Queue Configuration application You create queue(s) for the Cobra Console. Each queue specifies details such as where to look for jobs to process and job settings.</p>	Chapter 14
8	<p>Optionally set up the Barcode Plate Requeue option This option puts a barcode onto imaged plates so that the user can quickly relocate jobs for re-making plates, if required.</p>	Appendix C

9	Create a print queue on the page-make up workstation(s) You need to set up 'virtual' printers on each page make-up workstation that the customer will be printing from. These printers allow the customer to print jobs directly to the Torrent RIP.	Chapter 19
10	Calibrate the Torrent page setup Calibrating the Torrent page setup is necessary to ensure output quality.	Chapter 12
WHEN YOU HAVE FINISHED:		
11	Save the Cobra-8 system settings When you have finished creating the new workflow(s) you should save all the settings you have made.	Section 16.2

11. Handover to the customer

By now, you should have finished installing, testing and setting up the Cobra-8 system. Assuming that everything is in satisfactory working order, you need to check that the system is made safe before final handover to the customer.

This chapter includes the following section:

- 11.1, Checking the system before handover to the customer (p75).

11.1 Checking the system before handover to the customer

When all the installation and plate tests have been satisfactorily completed and the software has been set up and tested, the Cobra-8 platesetter must be checked before handover to the customer. Please carry out all the following checks:

Make the following checks:	✓
The user has been instructed on the health and safety aspects of using the Cobra-8 system.	
All the Cobra-8 platesetter's covers and panels are securely in place if they have been removed or loosened during the installation.	
The Cobra-8 platesetter's drum is clean and free of any debris. (If necessary, follow the cleaning procedure in section 6.2 on page 28.)	
There are no loose connections and all cables are correctly routed.	
The user: <ul style="list-style-type: none"> • Can load/unload a plate. • Can successfully print jobs to the Cobra-8 system from a page make-up workstation. • Can use the Cobra Console to output jobs to the Cobra-8 platesetter. 	

Appendix A: Plate specifications

This appendix gives plate information for the Cobra-8 system including:

- A.1, Plate types (p77).
- A.2, Plate sizes (p77).
- A.3, Plate exposure times (p78).

A.1 Plate types

The plates used in the Cobra-8 platesetter must be compatible with its laser expose system. Cobra-8 has been tested with the following plate types:

Plate type	Pos/neg	Filter fitted	Plate type	Recommended expose energy $\mu\text{J}/\text{cm}^2$
Agfa Lithostar Plus LAP-V / Ultra-V	Positive	SilvND	Silver	1.9
Kodak VioletPrint	Negative	PolyND	Photopolymer	30
Agfa Lithostar N91V	Negative	PolyND	Photopolymer	40
Fuji Film LP-NV	Negative	ZeroND	Photopolymer	90

Notes: The laser expose power must be determined for each of these plate types (this is covered in "Test 1a: Laser Power" on page 45).

Section B.1 lists suitable lighting for each plate type.

Positive and negative working plates

Plates can be exposed on Cobra-8 in two different ways:

Negative working plates. The laser exposes the image area which is to be printed on the plate. The remaining area is unexposed. When the plate is put through the processor, the unexposed area is etched away to leave bare plate.

Positive working plates. The laser exposes the area which is not to be printed on the plate. When the plate is put through the processor, the exposed area is etched away to leave bare plate. This means that all positive working plates must be exposed up to the edges, regardless of the size of the image on the plate.


In either case, the physical appearance of the plate to go on the press will be the same (positive image, right reading), apart from the unexposed grip area.

A.2 Plate sizes

Cobra-8 has been designed to support 8-up A4 layout. Plates between 0.15 and 0.3mm thickness are supported. Correct configuration of the plate thickness (using the Cobra Test Tool application) is vital as this affects the exact spinner speed in order to ensure correct sizing around the drum.


Maximum plate size

The maximum plate size is 1080 x 850mm. The register bar depth (typically, 15mm) is not imaged so the maximum image area is 1080mm along the grip edge by approximately 835mm.



Minimum plate size

The minimum plate size is 510mm x 400mm. The register bar depth (typically 15mm) is not imaged so the maximum image area is 510mm along the grip edge by approximately 385mm.



A.3 Plate exposure times

Cobra-8 exposes at a fixed rate of 600 scan lines per second. The laser expose head traverses at 6mm per second for a 36,000rpm spinner with an imaging resolution of 2540dpi/100dpmm. The plate handling time is approximately 45-60 seconds, regardless of plate size.

The following table shows plate exposure times (not including plate load/unload time) for various plate sizes:

Plate size (mm)	Exposure Time
1080 x 850 (maximum)	200 seconds
550 x 625	92 seconds
510 x 400 (GTO52)	85 seconds

Appendix B: Brightroom layout and environment

This appendix contains the following information:

- B.1, Required operating conditions (p79).
- B.2, Access space around the Cobra-8 platesetter (p80).
- B.3, Typical brightroom layout (p81).

B.1 Required operating conditions

Cobra-8 should be operated in a clean, office-like environment. The atmosphere must be clear of contaminants (particularly oil vapour) that could cause deposits on optical surfaces.


Cobra-8 operates at a temperature range of 15–25°C and a relative humidity of 10 to 80% non-condensing. However, to reduce and control optical contamination, HighWater Designs recommends a relative humidity of 10-50%. Air conditioning is required for most installations.

For loading and unloading of plates, suitable lighting is required, for example:

Plate	Type	Lighting
Agfa Lithostar Plus ULTRA-V	Silver	V50 (yellow)
Lastra LVX/Agfa Lithostar N91V	photopolymer	Osram L36 W62 and EncapSulite V50
Kodak VioletPrint	photopolymer	G30
Fuji Film LP-NV	photopolymer	Encapsulite YG10


B.2 Access space around the Cobra-8 platersetter

The following diagram shows the recommended and, where appropriate, minimum required access space around the Cobra-8 platersetter in the brightroom:



B.3 Typical brightroom layout

The following diagram shows a typical brightroom layout for the Cobra-8 platesetter:



Appendix C: Plate test results


Use the following pages to record the results of the plate tests carried out in chapter 10. Where appropriate, follow any advice given for test failures.

This chapter contains the following test results pages:

- 1a. Laser Power (p84).
- 2a. Carriage Reference Setup (p85).
- 2b. Fast Axis Scaling (p86).
- 2c. Drum Reference (p87).
- 2d. Plate Registration Skew (p88).
- 2e. Focus and Spot Shape (p89).
- 2f. Beam Bow (p90).
- 2g. Orthogonality (p91).
- 3a. Plate Registration Repeatability (p92).
- 4a. Flat Tint (p93).

Note: Photocopy this chapter if more results pages are required for additional plates.

2b. Fast Axis Scaling

Test	2b. Fast Axis Scaling (page 54)
Test Description	Checks the accuracy of the image height
	
Uses plate	Plate 2: SM102 Scaling
Test tolerance	±0.1mm
If this test fails	Call a service engineer when you have finished all tests


Test Results

	Example	Plate 1	Plate 2	Plate 3	Plate 4	Plate 5	Plate 6
Plate name/size	SM102						
Measurement on plate	58cm						
Actual measurement	58.1cm						
Pass/Fail	<u>Pass</u> Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline

Engineer's comments

Date	Comments

2d. Plate Registration Skew

Test	2d. Plate Registration Skew (page 57)
Test Description	Checks that the plate is sitting squarely in the clamp 
Uses plate	Plate 2: SM102 Scaling
Test tolerance	±0.1mm
If this test fails	Call a service engineer when you have finished all tests


Test Results

	Example	Plate 1	Plate 2	Plate 3	Plate 4	Plate 5	Plate 6
Plate name/size	SM102						
Registration pins	Inner						
Measurement AB	15.0mm						
Measurement CD	15.1+mm						
Difference in measurement	0.1+						
Pass/Fail	Pass Fail <u>Borderline</u>	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline

Engineer's comments

Date	Comments

2e. Focus and Spot Shape

Test	2e. Focus and Spot Shape (page 58)
Test Description	Checks the laser focus 
Uses plate	Plate 2: SM102 Scaling
Test tolerance	Check for sharp lines and text, a visible step at 50% point in vignettes, and lines of equal thickness in the concentric circles and 40um lines
If this test fails	Call a service engineer when you have finished all tests


Test Results

	Example	Plate 1	Plate 2	Plate 3	Plate 4	Plate 5	Plate 6
Plate name/size	SM102						
Laser Focus	Good <u>OK</u> Poor	Good OK Poor	Good OK Poor	Good OK Poor	Good OK Poor	Good OK Poor	Good OK Poor
Pass/Fail	<u>Pass</u> Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline

Engineer's comments

Date	Comments

2f. Beam Bow

Test	2f. Beam Bow (page 60)
Test Description	Checks that the laser scans perpendicular to the drum's surface 
Uses plate	Plate 2: SM102 Scaling
Test tolerance	±0.1mm
If this test fails	Call a service engineer when you have finished all tests


Test Results

	Example	Plate 1	Plate 2	Plate 3	Plate 4	Plate 5	Plate 6
Plate name/size	SM102						
Difference in measurement ABC	0.2						
Pass/Fail	Pass <u>Fail</u> Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline

Engineer's comments

Date	Comments

3a. Plate Registration Repeatability

Test	3a. Plate Registration Repeatability (page 65)
Test Description	Checks the accuracy and repeatability of the plate registration 
Uses plate	Plate 3: Scaling With Slur
Test tolerance	In 50% boxes: check 'severity' of the word slur On Vernier scale: $\pm 0.05\text{mm}$ ($50\mu\text{m}$) in each axis
If this test fails	Call a service engineer when you have finished all tests


Test Results

	Example	Plate 1	Plate 2	Plate 3	Plate 4	Plate 5	Plate 6
Plate name/size	SM102						
Slur severity	Minor <u>Moderate</u> Severe	Minor Moderate Severe	Minor Moderate Severe	Minor Moderate Severe	Minor Moderate Severe	Minor Moderate Severe	Minor Moderate Severe
Vernier measurement	0.05+mm						
Pass/Fail	Pass Fail <u>Borderline</u>	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline

Engineer's comments

Date	Comments

4a. Flat Tint

Test	4a. Flat Tint (page 70)
Test Description	Checks for variation in the flat tint across the plate 
Uses plate	Plate 4: Full50
Test tolerance	<ul style="list-style-type: none"> No banding across plate Continuity: All measurements taken are within $\pm 2\%$ of each other Laser power: Measurements are 52% for Agfa LAP-V plates (or other measurement obtained from dealer)
If this test fails	Call a service engineer when you have finished all tests

Test Results

	Example	Plate 1	Plate 2	Plate 3	Plate 4	Plate 5	Plate 6
Plate name/size	SM102						
Banding	<u>No</u> Yes	No Yes	No Yes	No Yes	No Yes	No Yes	No Yes
All measurements within $\pm 2\%$ of each other?	No <u>Yes</u>	No Yes	No Yes	No Yes	No Yes	No Yes	No Yes
All measurements 52% (or other)	No <u>Yes</u>	No Yes	No Yes	No Yes	No Yes	No Yes	No Yes
Pass/Fail	<u>Pass</u> Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline	Pass Fail Borderline

Engineer's comments

Date	Comments

